

### Amendments to the Claims

This listing of claims replaces all prior versions and listings of claims in the application.

### Listing of Claims

1-121. (Canceled)

122. (Previously Presented) An electronic appliance comprising:

a display panel, the display panel comprising:

a first substrate;

a light emitting element over the first substrate; and

a second substrate over the light emitting element,

wherein minute unevennesses are formed on a surface of the second substrate,

wherein light emitted from the light emitting element is outputted through the second substrate, and

wherein the light outputted through the second substrate passes through the minute unevennesses.

123. (Previously Presented) An electronic appliance according to claim 122, wherein the first substrate is a glass substrate.

124. (Previously Presented) An electronic appliance according to claim 122, wherein the first substrate and the second substrate are a glass substrate.

125. (Canceled)

126. (Previously Presented) An electronic appliance according to claim 122, wherein the electronic appliance is one selected from the group consisting of a mobile telephone, a personal

digital assistant, an electronic book, a video camera, a personal computer, an image reproduction apparatus, a digital camera, and a mobile computer.

127. (Previously Presented) An electronic appliance comprising:

a display panel, the display panel comprising:

a first substrate;

a light emitting element over the first substrate; and

a second substrate over the light emitting element,

wherein a surface of the second substrate comprises a first region, a second region, and a third region, the first region is bonded to the first substrate with a layer having adhesion, the second region is located inside the first region and concaved relative to the first region, and the third region is located inside the second region and concaved relative to the second region,

wherein minute unevennesses are formed on the second region of the second substrate,

wherein a dry agent is provided in the third region,

wherein light emitted from the light emitting element is outputted through the second substrate, and

wherein the light outputted through the second substrate passes through the minute unevennesses.

128. (Previously Presented) An electronic appliance according to claim 127, wherein a permeable film is adhered to a part of the second region so that the dry agent is contained in the third region.

129. (Previously Presented) An electronic appliance according to claim 128, wherein the permeable film is not contact with the first substrate.

130. (Previously Presented) An electronic appliance according to claim 127, wherein the second region is recessed by 160  $\mu\text{m}$  to 350  $\mu\text{m}$  relative to the first region.

131. (Previously Presented) An electronic appliance according to claim 127, wherein the second region is recessed by 10  $\mu\text{m}$  to 50  $\mu\text{m}$  relative to the first region.

132. (Previously Presented) An electronic appliance according to claim 127, wherein the third region is recessed by 50  $\mu\text{m}$  to 150  $\mu\text{m}$  relative to the second region.

133. (Previously Presented) An electronic appliance according to claim 127, wherein the first substrate is a glass substrate.

134. (Previously Presented) An electronic appliance according to claim 127, wherein the first substrate and the second substrate are a glass substrate.

135. (Previously Presented) An electronic appliance according to claim 127, wherein a thickness of the layer having adhesion is 10  $\mu\text{m}$  or less.

136. (Previously Presented) An electronic appliance according to claim 127, wherein the electronic appliance is one selected from the group consisting of a mobile telephone, a personal digital assistant, an electronic book, a video camera, a personal computer, an image reproduction apparatus, a digital camera, and a mobile computer.

137. (Currently Amended) A light emitting device comprising:  
a first substrate;  
a light emitting element over the first substrate; and  
a second substrate ~~bonded to the first substrate~~, over the light emitting element,  
wherein minute unevennesses are formed on a surface of the second substrate,  
wherein light emitted from the light emitting element is outputted through the second substrate, and  
wherein the light outputted through the second substrate passes through the minute unevennesses.

138. (Previously Presented) A light emitting device according to claim 137, wherein the first substrate is a glass substrate.

139. (Currently Amended) A light emitting device according to claim 137 [[138]], wherein the first substrate and the second substrate are a glass substrate.

140. (Currently Amended) A light emitting device according to claim 137, wherein the light emitting device ~~electronic appliance~~ is one selected from the group consisting of a mobile telephone, a personal digital assistant, an electronic book, a video camera, a personal computer, an image reproduction apparatus, a digital camera, and a mobile computer.

141-170. (Canceled)

171. (Previously Presented) An electronic appliance according to claim 122, wherein heights of the minute unevennesses are set to be  $0.1\ \mu\text{m}$  to  $3\mu\text{m}$ .

172. (Previously Presented) An electronic appliance according to claim 127, wherein heights of the minute unevennesses are set to be  $0.1\ \mu\text{m}$  to  $3\mu\text{m}$ .

173. (Previously Presented) An electronic appliance according to claim 137, wherein heights of the minute unevennesses are set to be  $0.1\ \mu\text{m}$  to  $3\mu\text{m}$ .

174. (Currently Amended) A light emitting device comprising:

~~a display panel, the display panel comprising:~~

a first substrate;

a light emitting element over the first substrate; and

a second substrate over the light emitting element,

wherein a surface of the second substrate comprises a first region, a second region, and a third region, the first region being bonded to the first substrate with a layer having adhesion, the second region being located inside the first region and concaved relative to the first region, and the third region being located inside the second region and concaved relative to the second region.

wherein minute unevennesses are formed on [[a]] the surface of the second substrate, wherein a dry agent is provided in the third region.

wherein light emitted from the light emitting element is outputted through the second substrate, and

wherein the light outputted through the second substrate passes through the minute unevennesses.

175. (Previously Presented) The light emitting device according to claim 174, wherein a permeable film is adhered to part of the second region so that the dry agent is contained in the third region.

176. (Previously Presented) The light emitting device according to claim 175, wherein the permeable film is not contact with the first substrate.

177. (Previously Presented) The light emitting device according to claim 174, wherein the second region is recessed by 160  $\mu\text{m}$  to 350  $\mu\text{m}$  relative to the first region.

178. (Previously Presented) The light emitting device according to claim 174, wherein the second region is recessed by 10  $\mu\text{m}$  to 50  $\mu\text{m}$  relative to the first region.

179. (Previously Presented) The light emitting device according to claim 174, wherein the third region is recessed by 50  $\mu\text{m}$  to 150  $\mu\text{m}$  relative to the second region.

180. (Previously Presented) The light emitting device according to claim 174, wherein the first substrate is a glass substrate.

181. (Previously Presented) The light emitting device according to claim 174, wherein the first substrate and the second substrate are a glass substrate.

182. (Previously Presented) The light emitting device according to claim 174, wherein a thickness of the layer having adhesion is 10  $\mu\text{m}$  or less.

183. (Currently Amended) The light emitting device according to claim 174, wherein the light emitting device ~~the electronic appliance~~ is one selected from the group consisting of a mobile telephone, a personal digital assistant, an electronic book, a video camera, a personal computer, an image reproduction apparatus, a digital camera, and a mobile computer.